

**Dubai Central Laboratory**

**Consumer Product Laboratory Section  
TEST REPORT  
Cosmetics**

Report No : CR-600071039

Date Issued : 24/03/2020

Customer	Name : CULLIGAN MIDDLE EAST FZE (DUBAI BRANCH)		
	Address and Location : P.O.Box:,,		
Telephone :	Fax :	E-Mail : michael@culligan.ae	
Category : Business		License no : 646890	

**Item Particulars:**

Customer Ref.No	NA
Item Name	Hygiene Solution-Safe Guard 45H25
Batch No.	G031171
Category	B2B Products
Quantity	1 of 500 ml
Packing	Plastic Bottle
Brand	Culligan
Origin	United Arab Emirates
Item Description	Transparent Liquid



**ITEM: Safe Guard 45H25**

S/N	Characteristic	Unit	Results	Specification Limit	Quantification/ Detection Limit	Method of Test	Technique Used
1	Quantitative Suspension Test for Evaluation of Bactericidal Activity of Chemical Disinfectant & Antiseptics	-	Pass	NA	NA	BS EN 1276 :2009	Quantitative

- NOTE**
- <LOQ = Less than Limit of Quantification
  - NA = Not Applicable
  - CFU = Colony Forming Unit.

Test method variation : Nil

Remarks : Nil

**Report Authorised by the Head of Chemistry Unit**  
**This report is computer approved, it does not require any signature**

Request No. :	CPTR-2020-1011882	Item Brought in by :	Michael Gablan	Test Period :	---
Date Received :	16/03/2020	Sampling Reason :	Request	Service Type :	Business

This report shall not be reproduced except in full, without the written approval of this laboratory. The content of this report is of the basis of item(s) and information received from the customer. The results contained herein apply only to the particular item(s) tested and to the specific tests carried out, as detailed in this test report.

Doc. ref : F-CP-2081

Rev.No : 1

Issue Date : 23/01/2013

Page : 1 of 2

**Dubai Central Laboratory**  
**Consumer Product Laboratory Section**  
**TEST REPORT**  
**Cosmetics**

**Report No :** CR-600071039

**Date Issued :** 24/03/2020

To verify this document please go to <http://login.dm.gov.ae/wps/portal/documentverification> and  
Enter Document ID: **CPTR-2020-1011882** and Verification Code: **647-355** or scan the QR code below.



<b>Request No. :</b>	CPTR-2020-1011882	<b>Item Brought in by :</b>	Michael Gablan	<b>Test Period :</b>	---
<b>Date Received :</b>	16/03/2020	<b>Sampling Reason :</b>	Request	<b>Service Type :</b>	Business

This report shall not be reproduced except in full, without the written approval of this laboratory. The content of this report is of the basis of item(s) and information received from the customer. The results contained herein apply only to the particular item(s) tested and to the specific tests carried out, as detailed in this test report.

Doc. ref : F-CP-2081

Rev.No : 1

Issue Date : 23/01/2013

Page : 2 of 2